



www.ankarakonveyor.com




AKM KONVEYÖR MAKİNA



product catalogue




BELT	ØD	L	H	H1	L1	L2	L3	A	E	F
400	83,5	700		62	500		160	62	70	25
	89			75				75	70	25
	108			85				85	65	30
500	63,5	800		62	600		200	100	65	30
	89			75						
	108			85				120	65	35
	133			100						
650	63,5	950		62	750		250	140	65	40
	89			75						
	108			85				160	65	40
	133			100						
800	89	1150		75	950		315	180	65	40
	108			85						
	133			100				200	65	40
1000	89	1350		75	1150		380	180	55	40
	108			85						
	133			100				200	55	40
	159			130						
1200	89	1600		85	1400		465	180	55	40
	133			100						
	159			130				200	55	40
1400	133	1800		100	1600		530	180	55	40
	159			130				200	55	40
1600	133	2050		110	2050		600	180	90	40
									85	
									50	
	159			130				200	115	40
									110	
1800	133	2250		100	2250		670			
	159			130						
2000	133	2500		100	2500		750			
	159			130						
	195			160						



BELT	ØD	L	H	H1	L1	L2	L3	A	E	F
400	83,5	700		62	500	250		80	70	25
	89			75				100	70	25
	108			85				120	65	30
500	63,5	800		62	600	315		100	65	30
	89			75				120	65	35
	108			85						
	133			100						
650	63,5	950		62	750	380		140	65	40
	89			75				160	65	40
	108			85						
	133			100						
800	89	1150		75	950	465		180	65	40
	108			85				200	65	40
	133			100						
1000	89	1350		75	1150	600		180	55	40
	108			85				200	55	40
	133			100						
	159			130						
1200	89	1600		85	1400	700		180	55	40
	133			100				200	55	40
	159			130						
1400	133	1800		100	1600	800		180	55	40
	159			130				200	55	40
1600	133	2050		110	1800	900		180	90	40
									85	
									50	
	159			130				200	115	40
1800	133	2250		100	2000	1000				
	159			130						
2000	133	2500		100	2200	1100				
	159			130						
	195			160						




BELT	Pipe	Shaft Ø	Bearing	B	F	G	B	F	G	B	F	G	CH
300	89	20	6204	380	14	10	200	14	10	-	-	-	14
400	89	20	6204	500	14	10	250	14	10	160	14	10	14
450	89	20	6204	550	14	10	272	14	10	-	-	10	14
500	89	20	6204	600	14	10	315	14	10	200	14	10	14
600	89	20	6204	700	14	10	352	14	10	235	14	10	14
650	89	20	6204	750	14	10	380	14	10	250	14	10	14
	108	20	6204	750	14	10	380	14	10	250	14	10	14
	114	20	6204	750	14	10	380	14	10	250	14	10	14
700	89	20	6204	800	14	10	408	14	10	300	14	10	14
	108	20	6204	800	14	10	408	14	10	300	14	10	14
	114	20	6204	800	14	10	408	14	10	300	14	10	14
800	89	20	6204	950	14	10	465	14	10	315	14	10	14
	108	20	6204	950	14	10	465	14	10	315	14	10	14
	108	25	6205	950	16	12	465	16	12	315	16	12	18
	114	20	6204	950	14	10	465	14	10	315	14	10	14
	114	25	6205	950	16	12	465	16	12	315	15	12	18
	133	20	6204	950	14	10	465	14	10	315	14	10	14
	133	25	6205	950	16	12	465	16	12	315	16	10	18
900	89	20	6204	1050	14	10	-	-	-	352	14	12	14
	108	20	6204	1050	14	10	-	-	-	352	14	10	14
	108	25	6205	1050	16	12	-	-	-	352	16	12	18
	114	20	6204	1050	14	10	-	-	-	352	14	10	14
	114	25	6205	1050	16	12	-	-	-	352	16	12	18
	133	20	6204	1050	14	10	-	-	-	352	14	10	14
	133	25	6205	1050	16	12	-	-	-	352	16	12	18
100	89	20	6204	1150	14	10	-	-	-	380	14	10	14
	89	25	6205	1150	16	12	-	-	-	380	16	12	18
	108	20	6204	1150	14	10	-	-	-	380	14	10	14
	108	25	6205	1150	16	12	-	-	-	380	16	12	18
	114	20	6205	1150	14	10	-	-	-	380	14	10	14
	114	25	6204	1150	16	12	-	-	-	380	16	12	18
	133	20	6205	1150	14	10	-	-	-	380	14	10	14
	133	25	6204-6305	1150	16	12	-	-	-	380	16	12	18




BELT	Q	DL	Mil (d)	Rulman	B	F	G	B	F	G	B	F	G	CH
650	89	133	20	6204	750	14	10	380	14	10	250	14	10	14
700	89	133	20	6204	800	14	10	408	14	10	300	14	10	14
	89	133	25	6205	800	16	12	408	16	12	300	16	12	18
800	89	133	20	6204	950	14	10	-	-	-	315	14	10	14
	89	133	25	6205	950	16	12	-	-	-	315	16	12	18
900	89	133	20	6204	1050	14	10	-	-	-	352	14	10	14
	89	133	25	6205	1050	16	12	-	-	-	352	16	12	18
1000	89	133	20	6204	1150	16	12	-	-	-	380	14	10	14
	89	133	25	6205	1150	14	10	-	-	-	380	16	12	18
	89	133	30	6206	1150	16	12	-	-	-	380	16	10	22
1200	89	133	20	6204	1400	16	12	700	14	10	465	14	12	14
	89	133	25	6205	1400	16	12	700	16	12	465	16	12	18
	89	133	30	6206	1400	16	12	700	16	12	465	16	12	22
1400	89	133	25	6205	1600	16	12	800	16	12	530	16	12	18
	89	133	30	6206	1600	16	12	800	16	12	530	16	12	22
1600	89	133	25	6205	1800	16	12	900	16	12	900	16	12	18
	89	133	30	6206	1800	16	12	900	16	12	900	16	12	22


1000	89	159	25	6205	1150	16	12	600	16	12	380	16	12	18
	89	159	30	6206	1150	16	12	600	16	12	380	16	12	22
1200	89	159	25	6205	1400	16	12	700	16	12	465	16	12	18
	89	159	30	6206	1400	16	12	700	16	12	465	16	12	22
1400	89	159	25	6205	1600	16	12	800	16	12	530	16	12	18
	89	159	30	6206	1600	16	12	800	16	12	530	16	12	22
1600	89	159	25	6205	1800	16	12	900	16	12	600	16	12	18
	89	133	30	6206	1800	16	12	900	16	12	600	16	12	22




BELT	A	B	ØD	AXE	Ød1	Ød2	Weight kg	Bearing Code
650	750	990	240	1070	40	49	66	
			270	1070	40	49	76	
				1080	50	59	85	
				1080	40	49	87	
			320	1100	50	59	96	
				1100	60	73	109	
				130	70	83	124	
				1070	40	49	121	
			400	1080	50	59	130	
				1100	60	73	143	
				1100	70	83	159	
				1080	50	59	162	
			500	1100	60	73	175	
				1100	70	83	193	
				1100	80	93	207	
				1100	60	73	248	
			630	1100	70	83	269	
				1100	80	93	283	
				1100	90	103	298	
				1100	60	73	362	
800	950	1190	800	1100	70	83	376	
				1100	80	93	392	
				1100	90	103	430	
			240	1270	40	49	78	
			270	1270	40	49	91	
				1280	50	59	101	
				1280	50	59	113	
			320	1300	50	73	129	
				1300	70	83	145	
				1280	50	59	154	
				1300	60	73	170	
				1300	70	83	188	
				1300	80	93	204	
				1280	50	59	204	
			500	1300	60	73	192	
				1300	70	83	205	
				1300	80	93	227	
				1300	60	73	243	
			630	1300	70	83	294	
				1300	80	93	318	
				1300	90	103	334	
				1300	70	83	351	
			800	1300	80	93	426	
				1300	90	103	442	
				1310	90	113	500	



BELT	A	B	ØD	AXE	Ød1	Ød2	Weight kg	Bearing Code
1000	1150	1400	240	1470	40	49	90	
			270	1470	40	49	105	
				1480	50	59	117	
				1480	50	59	130	
			320	1500	60	73	148	
				1500	70	83	166	
				1500	60	73	196	
			400	1500	70	83	215	
				1500	80	93	234	
				1500	90	103	254	
				1500	70	83	260	
			500	1500	80	93	278	
				1500	90	103	298	
				1510	100	113	328	
				1500	80	93	382	
			630	1500	90	103	402	
				1510	100	113	438	
				1520	110	123	463	
				1500	80	93	505	
			800	1500	90	103	525	
				1510	100	113	569	
				1520	110	123	594	
				1500	90	93	714	
			1000	1510	100	103	770	
				1520	110	113	795	
				1520	120	123	823	
1200	1400	1650	240	1730	40	49	122	
				1740	50	49	135	
				1730	40	49	137	
				1740	50	59	150	
			320	1760	60	73	171	
				1760	60	73	227	
			400	1760	70	83	249	
				1760	80	93	270	
				1760	80	93	321	
				1760	90	103	344	
				1770	100	113	378	
				1780	110	123	406	
				1760	90	103	465	
			630	1770	100	113	504	
				1780	110	123	533	
				1780	120	133	565	
				1760	90	103	605	
			800	1770	100	113	652	
				1780	110	123	681	
				1780	120	133	713	
				1770	100	113	882	
				1780	110	123	910	
			1000	1780	120	133	942	
				1780	135	153	1010	



BELT	A	AXE	B	ØD	Ød1	Ød2	Ød3	L	Keys	Bearing Code
300	400	600	780	190	40	49	35	38	10 * 8	36
			780	215	40	49	35	38	10 * 8	40
			810	215	50	59	45	48,5	14 * 9	47
			780	240	40	49	35	38	10 * 8	43
			810	240	50	59	45	48,5	14 * 9	50
			810	270	50	59	45	48,5	14 * 9	57
			810	320	50	59	45	48,5	14 * 9	64
			850	320	60	73	55	59	16 * 10	74
400	500	700	880	215	40	49	35	38	10 * 8	46
			910		50	59	45	48,5	14 * 9	54
			880	240	40	49	35	38	10 * 9	50
			910		50	59	45	48,5	14 * 9	57
			910	270	50	59	45	48,5	14 * 9	65
			910	320	50	59	45	48,5	14 * 9	74
			950	320	60	73	55	59	16 * 10	84
			950	400	60	73	55	59	16 * 10	110
500	600	830	1040	240	50	59	45	48,5	14 * 9	65
			1080		60	73	55	59	16 * 10	77
			1040	270	50	59	45	48,5	14 * 9	74
			1080		60	73	55	59	16 * 10	86
			1040	320	50	59	45	48,5	14 * 9	84
			1080		60	73	55	59	16 * 10	96
			1110		70	83	65	69	18 * 11	111
			1080		60	73	55	59	16 * 10	124
			1110	400	70	83	65	69	18 * 11	141
			1040		80	93	70	74,5	20 * 12	155
			1080		60	73	55	59	16 * 10	153
			1110		70	83	65	69	18 * 11	171
			1040	500	80	93	70	74,5	20 * 12	185
			1080		60	73	55	59	16 * 10	215
			1110		70	83	65	69	18 * 11	236
			1140		80	93	70	74,5	20 * 12	250




BELT	A	AXE	B	MB	Ød1	Ød2	Weight kg	Bearing Code
650	750	990	240	1070	40	49	66	
			270	1070	40	49	76	
				1080	50	59	85	
				1080	40	49	87	
			320	1100	50	59	96	
				1100	60	73	109	
				130	70	83	124	
				1070	40	49	121	
			400	1080	50	59	130	
				1100	60	73	143	
				1100	70	83	159	
				1080	50	59	162	
			500	1100	60	73	175	
				1100	70	83	193	
				1100	80	93	207	
				1100	60	73	248	
			630	1100	70	83	269	
				1100	80	93	283	
				1100	90	103	298	
			800	1100	60	73	362	
				1100	70	83	376	
				1100	80	93	392	
				1100	90	103	430	
800	950	1190	240	1270	40	49	78	
				1270	40	49	91	
			270	1280	50	59	101	
				1280	50	59	113	
			320	1300	50	73	129	
				1300	70	83	145	
				1280	50	59	154	
			400	1300	60	73	170	
				1300	70	83	188	
				1300	80	93	204	
				1280	50	59	204	
			500	1300	60	73	192	
				1300	70	83	205	
				1300	80	93	227	
				1300	60	73	243	
			630	1300	70	83	294	
				1300	80	93	318	
				1300	90	103	334	
				1300	70	83	351	
			800	1300	80	93	426	
				1300	90	103	442	
				1310	90	113	500	



Drum Coating



Drum Coating




Drum Coating



Drum Manufacturing



Drive and Tail Drum



Drive and Tail Drum



Roller Station



Conveyor Roller




Rubber Replacement



Screen Roving



Impact Rubber




Return Roller



Impact Roller



Roller Station



Manufacturing



Manufacturing



Manufacturing



Manufacturing



AKM KONVEYÖR MAKİNA
İNŞAAT SAN. ve TİC. LTD. ŞTİ.

İvedik Organize Sanayi Bölgesi 1482 Sokak No:28-30

İvedik - Ostim - ANKARA / TURKEY

T: +90 (312) 395 19 97 • **F:** +90 (312) 395 19 98

e: info@ankarakonveyor.com • **w:** www.ankarakonveyor.com